Service Service Service



HI208 HI218

Philips Domestic Appliances and Personal Care

Service Manual

PRODUCT INFORMATION

Features	HI208	HI218
Soleplate Ceralon	х	х
Self-clean	X	X
Spray	-	X
Hi-steam	Χ	Χ

Voltage : 220-240V Frequency : 50-60 Hz

Power consumption : 220-240V, 1200W at 220V

Spray capacity : Min 0.4g / stroke
Hi-steam output : 15±2 g / min
Extra steam : 25±2 g / min
Color setting : Green / white

Self clean

When the self-clean is activated, a flow of water is released from the water tank into the soleplate. This thermal shock will loose water scale particles from the steam chamber. These particles are then flushed out through the steam vents by the water.

Published by Philips Domestic Appliances and Personal Care Printed in Hong Kong ©Copyright reserved Subject to modification



CORD SET 5

PUMP 2


PILOT LIGHT COVER 9

PILOT LIGHT 10

remove dosing unit 1 remove spray knob 3 remove screw A x2 remove screw B x1 remove inlay 4 remove screw C x2 (cord clamp)

TANK SET 11

remove dial 7



remove screw D x2

COVER 12


SOLEPLATE 15

ISOLATION STUD 13

remove screw E x3

NOTES:

- 1. Parts with number from 100 and higher cannot be ordered separated.
- 2. In case of any defect in thermostat, the complete soleplate has to be replaced
- 3. No information about the type number and voltage has been stamped into the type plate. When replacing the type plate, engrave at least type number and voltage into the type plate with a sharp object.
- 4. After the product has been replaced, it should function properly and has to meet the safety requirement and legal regulations set by the related country.



PARTS LIST

Pos	Description	Consisting of	HI208	HI218	Service code
1	Dosing unit		х	х	4239 021 01300
2	Pump		-	x	4822 360 10416
3	Spray knob		-	x	4239 026 04750
4	Inlay HI208		x	-	4822 442 01637
	Inlay HI218		-	x	4822 442 01635
5	Cord set PRC		х	х	4822 321 11468
6	Swivel		х	x	4822 325 10226
7	Dial		х	x	4239 021 01290
8	Rattle spring		х	x	4822 492 71561
9	Pilot light cover		х	x	4239 026 04390
10	Pilot light		х	х	4822 134 10133
11	Tank top HI208		x	-	4239 021 01280
	Tank top HI218	101	-	x	4239 021 01310
12	Cover		x	x	4822 442 01638
13	Ryton ring		x	x	4822 532 12722
14	Thermostat bush		x	х	4822 532 61258
15	Soleplate + thermostat 220-240V		x	х	4239 020 94100
16	Sealing set	102, 103	Х	х	4822 310 11259

